

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|---------------------|
| S1 | 3738 | 370/331.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S2 | 166 | S1 and ((delet\$3 eras\$3) with (Packet frame cell message pdu unit data) with (Link connection channel communication)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S3 | 3643 | (370/412).CCLS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/07 10:16 |
| S4 | 104 | S3 and ((delet\$3 eras\$3) with (Packet frame cell message pdu unit data) with (Link connection channel communication)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S5 | 4762 | (370/329).CCLS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/07 10:16 |
| S6 | 91 | S5 and ((delet\$3 eras\$3) with (Packet frame cell message pdu unit) with (Link connection channel)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S7 | 99730 | out near2 (coverage or range) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S8 | 3513 | ((packet adj data adj protocol) or (PDP GPRS)) near4 context | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |

| | | | | | | |
|-----|-------|---|---|----|-----|---------------------|
| S9 | 246 | S8 and S7 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S10 | 220 | ((delet\$3 eras\$3) with (((packet adj data adj protocol) or (PDP GPRS))) near4 context) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S11 | 12968 | 370/338 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S12 | 404 | S11 and (((packet adj data adj protocol) or (PDP GPRS))) near4 context) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S13 | 314 | mobile with status with flag | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S14 | 1029 | (370/395.21).CCLS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/07 10:16 |
| S15 | 41 | S14 and (((packet adj data adj protocol) or (PDP GPRS))) near4 context) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S16 | 1696 | (370/469).CCLS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/07 10:16 |
| S17 | 46 | S16 and (((packet adj data adj protocol) or (PDP GPRS))) near4 context) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S18 | 147 | imsi and \$2tmsi and tlli | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S19 | 99 | (imsi and \$2tmsi and tlli) same gprs | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S20 | 18468 | ((Terminat\$3 end\$3 disconnect\$3) with (Link connection channel communication)) same (software) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S21 | 2814 | \$20 and (gprs tdma cdma gsm pdp) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S22 | 945 | \$21 and "370".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S23 | 1150 | ((Terminat\$3 discontinu \$3 disconnect\$3) with (Link connection channel communication)) same (software) same (wireless radio cellular mobile portable cordless) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S24 | 295 | \$23 and "370".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S25 | 12 | ((Terminat\$3 discontinu \$3 disconnect\$3) with (Link connection channel communication)) same (software near timer) and (wireless radio cellular mobile portable cordless) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S26 | 21 | ((Terminat\$3 discontinu \$3 disconnect\$3) with (Link connection channel communication)) same (software near timer) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S27 | 2296 | ((Terminat\$3 discontinu\$3 disconnect\$3) with (Link connection channel communication)) with (timer) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S28 | 1364 | S27 and (wireless radio cellular mobile portable cordless) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S29 | 724 | S28 and ("370" "375" "455").clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S30 | 2474 | (transfer\$4 redirect\$3 forward\$3) with (ggsn sgsn) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S31 | 1896 | S30 and ("370" "375" "455").clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S32 | 74 | S30 same software | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S33 | 826 | nsapi | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S34 | 273 | S33 same (pdp near context) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S35 | 2545 | (455/422.1).CCLS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/07 10:16 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S36 | 64 | S35 and (((packet adj data adj protocol) or (PDP GPRS)) near4 context) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S37 | 756 | (handoff handover (out near2 (coverage or range))) same (queue\$3 buffer\$4 fifo cache memory) same (phone ((mobile cellular) near4 device)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S38 | 4087 | ((Re\$1establish\$3 re\$1connect\$3 re\$1start\$3 re\$1open\$3) near4 (communication connection link channel)) and ((Discard\$3 drop\$4 delet\$3 dispos\$3 cancel\$4 eliminat\$3) near4 (Data information)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S39 | 580 | S38 and (gprs pdp cdma wcdma ev\$1do) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S40 | 158 | (out\$4 with (coverage zone)) same GPRS | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:16 |
| S41 | 365 | ((Terminat\$3 discontinu\$3 disconnect\$3) with (Link connection channel communication context) with (gprs packet)) same ((queue\$3 buffer cache) with (data information)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:45 |
| S43 | 288 | ((Terminat\$3 discontinu\$3 disconnect\$3) with (Link connection channel context) with (gprs packet)) same ((queue\$3 buffer cache) with (data information)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:51 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S45 | 70 | ((Terminat\$3 discontinu\$3 disconnect\$3) with (Link connection channel context) with (gprs radio)) same ((queu\$3 buffer cache) with (data information)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 10:56 |
| S47 | 277 | (Terminat\$3 discontinu\$3 disconnect\$3) with (Link connection channel context) with gprs | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 11:07 |
| S52 | 2734 | ((Terminat\$3 discontinu\$3 disconnect\$3) with (Link connection channel context)) same ((queu\$3 buffer cache) with (data information)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 11:37 |
| S53 | 285 | ((Terminat\$3 discontinu\$3 disconnect\$3) with (Link connection channel context)) same ((queu\$3 buffer cache) with (data information)) same (mobile radio wireless) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 11:38 |
| S54 | 287 | ((Terminat\$3 discontinu\$3 disconnect\$3) with (Link connection channel context)) same ((queu\$3 buffer cache) with (data information)) same (mobile radio wireless cellular) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/07 11:38 |

EAST Search History (Interference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|----------------------------------|--------------------------|------------------|---------|------------------|
| S56 | 3842 | (370/331).CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2010/04/08 15:06 |
| S57 | 147 | S56 and gprs.clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2010/04/08 15:06 |
| S58 | 9 | S56 and (gprs and delet\$3).clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2010/04/08 15:07 |
| S59 | 7426 | (370/338).CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2010/04/08 15:08 |
| S60 | 227 | S59 and gprs.clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2010/04/08 15:08 |

| | | | | | | |
|-----|------|--------------------------------------|--------------------------|----|-----|------------------|
| S61 | 11 | S59 and (gprs and delet\$3).clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2010/04/08 15:08 |
| S62 | 2594 | (455/422.1).CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2010/04/08 15:09 |
| S63 | 77 | S62 and gprs.clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2010/04/08 15:09 |
| S64 | 127 | (gprs and delet\$3).clm. | US-PGPUB; UPAD | OR | ON | 2010/04/08 15:20 |
| S65 | 34 | (gprs and delet\$3 and context).clm. | US-PGPUB; UPAD | OR | ON | 2010/04/08 15:20 |

4/8/2010 4:14:34 PM

C:\Documents and Settings\cpatel1\My Documents\EAST\Workspaces\I0\10645283.wsp